

THERMA TRU[®]
DOORS



MANIFEST YOUR OUTER HOME

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



DOOR FRAME ❖

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



CORNER SEAL PADS ❖ (Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.




COMPOSITE ADJUSTABLE SILL ❖

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



WEATHERSTRIP ❖

Features a resilient design to help deliver a precise seal between the door and frame.



BOTTOM SWEEP ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



ASTRAGAL ❖ (Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



HINGES ❖

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



RAIN GUARD ❖ (Outswing Only)


Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



MULTI-POINT LOCKING SYSTEM ❖ (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



SILL PAN ❖

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Pendulum Impact Test

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Privacy & Textured Glass

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft[®], Fiber-Classic[®], Smooth-Star[®], Profiles[™], Traditions and Pulse. doors and sidelites.



Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀️) icon.



Divided Lites


Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft[®], Fiber-Classic[®], Smooth-Star[®], Profiles[™] and Traditions.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru. entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

E-Z Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds – no cutting required.*

Universal sill plate designed for simple and secure fit.

*Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

**Based on average DIY skills and standard door application, widths 32"-36".


***Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.




AVAILABLE SIZES

(Available for most inswing units.)



Single Door System

Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System

Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.**



White






Brown



Black

AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Classic Craft



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel



Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



- 1 Choose a **Therma-Tru. entry door** to create an entry that complements your home's architectural style.



- 2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology.**



- 3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould.**

*Patent pending.

**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.




***Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.

Scan the QR code to learn more about storm door panel installation.



6 ALUMINUM STORM DOOR OPTIONS

Available Sizes & Configurations

Choose Low-E or clear glass.
Interchangeable screen panel included.



IM100
3'0" x 6'8"
2'8" x 6'8"

IM8100
3'0" x 8'0"
2'8" x 8'0"



Single Single with 1 Sidelite** Single with 2 Sidelites**

Color Options

Features a maintenance-free finish.




White
Color matched to PrismaGuard Alpine.

Gray
Color matched to PrismaGuard Granite.

Brown
Color matched to PrismaGuard Elk and complements most stain options.

Black
Color matched to PrismaGuard Onyx.

7 QuickFit™ Handlesets***



Straight

Curved

Brushed Nickel
Aged Bronze
Matte Black
(Complements Black Nickel)

Brushed Nickel
Aged Bronze
Antique Brass
Brass





Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.




Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



**SEE THE DIFFERENCE
COLOR CAN MAKE.**

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard, premium finish and Same-Day. Stain color options on pages 258–264.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 114.
- Lite frame options include Advanta™ lite frame with no screw plugs and a standard Lip-lite frame, starting on page 139. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 124.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.




4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

**Comparison of fiberglass to wood doors (both without glass).

Additional Options



-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
-  Fire-Rated Options: Available on solid-panel doors. See pages 240–243.

Flush-Glazed Options: Look for these icons (🔺🔻) to find doors styles with flush-glazed glass. See pages 124–137.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 285 for more information.

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 123 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See page 18–19 for details.



	Fiber-Classic. Mahogany Collection™	Fiber-Classic. Oak Collection™	Smooth-Star®
<p>■ = Available ◻ = Not Applicable S = Stain P = Paint</p>			
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	◻	◻	■
Door Heights			
6'6"	◻	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	◻	◻	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors
 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140
 Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■



AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets
1 clear curved bevels, **2** rainglass
 and coming to create the distinctive
 styling of Blackstone. Entries get
 the best of both privacy and
 simple refinement.



Black Nickel



Brushed Nickel

Crystalline™

This time-honored design features
 geometric styling brought to life with
1 glue chip glass, **2** glue chip bevels,
3 clear bevels and coming. Offering
 modest privacy, Crystalline is a shining
 example of traditional decorative glass
 with lasting beauty.



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts
 and Crafts simplicity is designed with
1 slump glass, **2** clear bevels,
3 clear artique glass and coming.



Black Nickel





Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Black Nickel




Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Black Nickel



Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel





Brushed Nickel



Brass

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron

*Brass coming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its

① clear bevels, ② glue chip glass, ③ granite glass and coming.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of ① hammered glass framed by ② gray baroque glass and ③ multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass*

Note: The use of gray baroque glass varies based on glass size.

Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Black Nickel

Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.


Available with Advanta™ lite frame* or Impact-rated lite frame only.



Black Nickel



Brushed Nickel



Brass

Latitude

Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta™ lite frame* or Impact-rated lite frame only.



Black Nickel



Brushed Nickel



Brass


*See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.


Available with Advanta™ lite frame* or Impact-rated lite frame only.



Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



Screen Vented


Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.




Privacy & Textured Glass




REEDED




SATIN ETCH



CHORD



CHINCHILLA



RAINGLASS



GRANITE



Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

Fiber-Classic® & Smooth-Star®

SIMULATED DIVIDED LITES (SDLS) WITH GRILLES BETWEEN GLASS (GBGS)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (  ) icons.

Shown with flat bronze GBGs (recommended).



SIMULATED DIVIDED LITES (SDLS)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (  ) icons.



*Almond and Bronze GBGs available in flat bars only.

**Available in Special Quote Program.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with SDLs, Door - S82103, Sidelites - S800SL

GRILLES BETWEEN GLASS (GBGS)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the () icons.



FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.


Look for the () icon.




SDL BAR OPTIONS

Grained


Smooth




(28.6 mm / 1.125 in.)
Look for the () icon.

Grained

Smooth





(28.6 mm / 1.125 in.)
Look for the () icon.

Smooth SDL bars are color matched to PrismaGuard Alpine.

Grained

Smooth




(88.9 mm / 3.5 in.)
Look for the () icon.

GBG BAR OPTIONS

Flat

Contour



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

GBG Color Options




Key

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*




*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.
 Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.



Flush-Glazed Glass



Lip-Lite Frame

SEE THE DIFFERENCE

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.




Flush-Glazed Glass with Detailed Sticking

Look for the (🔸) symbol.



Flush-Glazed Glass with Square Sticking

Look for the (🔹) symbol.



Lip-Lite Frame

WARRANTY RIDERS FOR PEACE OF MIND

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.


DOOR SELECTIONS



**Fiber-Classic[®]
Mahogany
Collection™**



**Fiber-Classic[®]
Oak Collection™**



Smooth-Star[®]



**Profiles™
& Traditions**

(Wood-grained images shown in Driftwood stain.)

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30–31 for details.

GLASS SELECTIONS



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see pages 120–121.



Simulated
Divided
Lites



Grilles
Between
Glass



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic.	Smooth-Star.	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds ▲	■	■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		


Decorative & Specialty Glass Designs**



Black Nickel
Brushed Nickel
Blackstone
Glass Privacy Rating: 7



Black Nickel
Brushed Nickel
Crystalline
Glass Privacy Rating: 7




Black Nickel
Brushed Nickel
Sedona
Glass Privacy Rating: 7




Wrought Iron
Salinas
Glass Privacy Rating: 10




Black Nickel
Brushed Nickel
Maple Park
Glass Privacy Rating: 6



Black Nickel
Brushed Nickel
Saratoga
Glass Privacy Rating: 7



Black Nickel
Brushed Nickel
Texas Star
Glass Privacy Rating: 5



Black Nickel
Brass
Wellesley
Glass Privacy Rating: 6



Wrought Iron
Riserva
Glass Privacy Rating: 10




Black Nickel
Brass
Concorde
Glass Privacy Rating: 8



Black Nickel
Brushed Nickel
Kensington
Glass Privacy Rating: 8




Black Nickel
Brass***
Pembroke
Glass Privacy Rating: 7



Black Nickel
Axis
Glass Privacy Rating: 7



Black Nickel
Brass
Calix
Glass Privacy Rating: 1



Black Nickel
Brass
Latitude
Glass Privacy Rating: 2



Black Nickel
Brass
Echelon
Glass Privacy Rating: 1

Also Available:
Internal Blinds
Screen Vented

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Privacy & Textured Glass




Reeded (XK)
Glass Privacy Rating: 7



Satin Etch (XE)
Glass Privacy Rating: 10



Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ)
Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)
Glass Privacy Rating: 10

Glass Privacy Rating Scale



Clear

Opaque

Also Available:


Divided Lites
Clear Glass



Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

Finishing Options



ADD CURB APPEAL WITH COLOR

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Smooth-Star, Clear Glass with SDLs, Doors - S2104, Finish - Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door - FC83XK, Finish - Acorn



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.




Fiber-Classic, Smooth-Star, Pulse & Steel



Durable Topcoat




Professional Application



Finishing Options



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.





Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.


- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.




Shown on Classic Craft Fir Grain.



Tumbleweed 



Acorn



Wildflower Honey



Rustic Clay



Barley



Mulberry



Autumn Harvest



New Earth



Driftwood



Raven

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.




- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat
 Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine



COLOR MATCHES AVAILABLE.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🌿) symbol. See your Therma-Tru seller for details.



Alpine




Granite



Peregrine 🌿



Onyx



Obsidian 🌿



Indigo



Estuary 🌿




Arctic Ice 🌿



Cypress



Golden Wheat 🌿




Canyon 🌿




Ruby Red



Cabernet



Chestnut



Elk 🌿

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface.

Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

INSWING OPTIONS



Composite Adjustable Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)


- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Value Composite Adjustable Sill (Economy)

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders



OUTSWING OPTIONS



Composite Outswing Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill



Public Access Sill with Thermal Break**

- (For ADA Applications)
- All-aluminum construction.
 - Ramp slope meets Americans with Disabilities Act (ADA) requirements.
 - Also available without thermal break.

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

***For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Key



Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

GRIP-STYLE MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)



Tongue
Heights: 6'8"
 7'0"
 8'0"
Configurations: Inswing
 Outswing

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

Key

Tru-Defense Eligible



LEVER-STYLE MPLS +

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Side view of door.

Engages at three critical points.

Exterior view of door.



Tongue
Heights: 6'6", 6'8", 7'0", 8'0"
Configurations: Inswing, Outswing



Shootbolt
 (For door systems with an astragal.)
Heights: 6'6", 6'8", 7'0", 8'0"
Configurations: Inswing, Outswing



Vented Sidelite MPLS




Tongue
 (Included in vented sidelite units.)



Heights: 6'6", 6'8", 8'0"

Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru® door styles from traditional to contemporary.



FINISH OPTIONS



FINISH OPTIONS



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil-Rubbed Bronze
Stainless Steel
Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.


*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.




Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



HINGE FINISH OPTIONS



Hinge Finish Options	■ = Available - = Not Applicable								
	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing - Staggered Hole Pattern	Classic Craft Ball-Bearing - Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	-	-	-	-
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	-	■	-	■
Polished Chrome	■	■	■	■	■	-	■	-	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	-	■
Stainless Steel	-	■	■	■	■	-	■	■	■
Zinc Dichromate	-	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.